### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/14/2014

Version: 1.0

### **SECTION 1: IDENTIFICATION**

#### 1.1. Product Identifier

Product Name: Flexsil® Mesh Fabric Other means of identification: Foundry filtration

# **1.2. Intended Use of the Product** No additional information available

## **1.3.** Name, Address, and Telephone of the Responsible Party

#### Manufacturer

Niche Fluoropolymer Products 42 Mountain Avenue Nesquehoning, PA 18240

## T 1-800-441-7777

#### www.nichefpp.com

#### 1.4. Emergency Telephone Number

Emergency Number : 800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Not classified

2.2. Label Elements

### GHS-US Labeling

No labeling applicable

2.3. Other Hazards

Other Hazards Not Contributing to the Classification : No additional information available

#### 2.4. Unkown Acute Toxicity (GHS-US)

No data available

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

# 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Silica mesh fabric	(CAS No) 65997-17-3	92 - 98	Carc.1B, H350
Boron oxide (B2O3)	(CAS No) 1303-86-2	<0.2	Repr. 1B, H360
Full text of H-phrases; see section 16			

Full text of H-phrases:see section 16

#### 4.1. Description of First Aid Measures

**First-aid Measures General**: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation : When symptoms occur: go into open air and ventilate suspected area.

**First-aid Measures After Skin Contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

**First-aid Measures After Eye Contact** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid Measures After Ingestion : Rinse mouth. Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and ddelayed

Symptoms/Injuries: None expected under normal conditions of use.

**Symptoms/Injuries After Inhalation**: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

**Symptoms/Injuries After Skin Contact**: None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After Eye Contact : For particulates and dust: May cause slight irritation.

Symptoms/Injuries After Ingestion : Not expected to be a primary route of exposure.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

# SECTION 5: FIRE-FIGHTING MEASURES

## 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, foam, water spray, fog. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use water jet. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity**: Hazardous reactions will not occur under normal conditions.

#### 5.3. Adivce for Firefighters

Firefighting Instructions: Exercise caution when fighting any chemical fire.

Protection During Firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

#### 6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

#### **6.2. For Environmental Precautions**

None known.

#### 6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid.

#### 6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Hygiene Measures:** Handlein accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

#### 7.2. Conditions for Safe Storage, Inculding Any Incompatibilities

**Storage Conditions:** Store tightly closed in a dry, cool and well-ventilated place.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

7.3. Specific End Use(s) No additional information available

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control Parameters

Boron oxide	(B2O3) (1303-86-2)		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )		10 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )		10 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )		2000 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m³)		15 mg/m <sup>3</sup>
Silica mesh fa	abric (65997-17-3)		
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )		3 fibers/cm³ (fibers ≤3.5 μm in diameter & ≥10μm in length), TWA 5mg/m3 (total)
USA OSHA	OSHA PEL (TWA) (mg/m³)		15 mg/m <sup>3</sup> total dust, 5 mg/m3, respirable fraction 8 hr
8.2. Exposure	Controls		
Appropriate	Appropriate Engineering Controls : Ensure all national/local regulations are observed. Avoid dust production.		ional/local regulations are observed. Avoid dust production.
Personal Prot	sonal Protective Equipment : Not generally required. The use of personal protective equipment may be nec as conditions warrant.		
Hand Protect	tion	: Chemically resistant gloves are recommended, but not required.	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

espiratory Protection : If	<ul> <li>If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.</li> <li>When using, do not eat, drink or smoke.</li> </ul>	
ECTION 9: PHYSICAL AND CHEMICAL PRO	PERTIES	
9.1. Information on Basic Physical and Chemica	•	
Physical State	: Solid	
Appearance	: White, flexible mesh fabric.	
Odor	: Odorless.	
Odor Threshold	: No data available	
рН	: No data available	
Relative Evaporation Rate (butylacetate=1)	: No data available	
Melting Point	: No data available	
Freezing Point	: No data available	
Boiling Point	: No data available	
Flash Point	: No data available	
Auto-ignition Temperature	: No data available	
Decomposition Temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor Pressure	: No data available	
Relative Vapor Density at 20 °C	: No data available	
Relative Density	: No data available	
Density	: 2.2 g/cm <sup>3</sup>	
Solubility	: Insoluble.	
Partition coefficient: n-octanol/water	: No data available	
Viscosity	: No data available	
9.2. Other Information No additional inf	ormation available	
SECTION 10: STABILITY AND REACTIVITY		
	ot occur under normal conditions.	
0.2. Chemical Stability: Stableat standard	temperature and pressure.	
0.3. Possibility of Hazardous Reactions: Ha	azardous polymerization will not occur.	

**10.4. Condition to Aviod:** Minimize dust when working with used or spent material.

**10.5. Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.

**10.6. Hazardous Decomposition Product:** Carbon oxides (CO, CO2).

# SECTION 11: TOXICOLOGICAL INFORMATION

# **11.1. Information On Toxicological Effects**

Acute Toxicity: Not classified

Boron oxide (B2O3) (1303-86-2)			
ATE (Oral)	3150.000 mg/kg		
Skin Corrosion/Irritation: Not classified			
Serious Eye Damage/Irritation: Not classified			
Respiratory or Skin Sensitization: Not classified			
Germ Cell Mutagenicity: Not classified			
Carcinogenicity. Not classified.			
Reproductive Toxicity: Not classified.			
Specific Target Organ Toxicity (Single Exposure): Not classified			
Specific Target Organ Toxicity (Repeated Exposure): Not classified			
Aspiration Hazard: Not classified			
Symptoms/Injuries After Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of			
normal use.			
Symptoms/Injuries After Skin Contact: None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.			

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After Eye Contact : For particulates and dust: May cause slight irritation.

Symptoms/Injuries After Ingestion: Not expected to be a primary route of exposure.

# SECTION 12: ECOLOGICAL INFORMATION

# 12.1. Toxicity

Boron oxide (B2O3) (1303-86-2)

 EC50 Daphnia 1
 370 - 490 mg/l (Exposure time: 48 h - Species: Daphnia magna)

# 12.2. Presistence and Degradability

Flexsil<sup>®</sup> Mesh Fabric

Persistence and Degradability

Not established.

# 12.3. Bioaccumulative Potential

Flexsil<sup>®</sup> Mesh Fabric

Bioaccumulative Potential Not established.

# **12.4. Mobility in Soil** No additional information available

12.5. Other Adverse Effects

Other Information

# **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

: Avoid release to the environment.

# **SECTION 14: TRANSPORT INFORMATION**

- **14.1.** In Accordance with DOT Not regulated for transport
- **14.2.** In Accordance with IMDG Not regulated for transport
- **14.3.** In Accordance with IATA Not regulated for transport

# **SECTION 15: REGULATORY INFORMATION**

# 15.1. US Federal Regulations

Boron oxide (B2O3) (1303-86-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Silica mesh fabric (65997-17-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. US State Regulations

Boron oxide (B2O3) (1303-86-2)

RTK - U.S. - Massachusetts - Right To Know List

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Indication of Changes Other Information : Revision date.

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### GHS Full Text Phrases :

Carc.1B	Carcinogenicity Category 1B	
Carc. Not classified	Carcinogenicity Not classified	
Repr. 1B	Reproductive toxicity Category 1B	
Repr. Not classified	Reproductive toxicity Not classified	
H350	May cause cancer	
H360	May damage fertility or the unborn child	

The above information is believed to be accurate based on the most accurate data available. Niche Fluoropolymer Products makes no warranty, either expressed or implied with due respect to such information, and assumes no liability resulting from its use. Users are advised to conduct their own test to determine the safety and suitability of each product or product combination for their own purposes. Niche Fluoropolymer Products shall not be liable for claims, losses or damages of any third party or for lost profits or incidental or consequential damages.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom) - US Only 10 pt 2